

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

---

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** MIGHTY VS7 VPAK2 #SB450P  
COMPRISED OF: TOTAL INTAKE SYSTEM CLEANER #SB300  
AND FUEL SYSTEM ADDITIVE #SB305

### Recommended use of the chemical and restrictions on use

**Product code** SB450P

**Product Type** Extremely flammable aerosol / Combustible liquid  
**Synonyms** None

### Supplier's details

**Recommended Use** Engine Cleaner.  
**Uses advised against** No information available

**Manufacturer:**  
Phillips 66 Spectrum Corporation  
500 Industrial Park Drive  
Selmer, TN 38375

**Product Information:**  
SDS Requests: (800) 264-6457 or +17316454972  
Technical Information: (800) 264-6457 or +17316454972  
General Information: Val.Smith-Wedley@P66.com

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

---

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier**

**Product name** MIGHTY VS7 TOTAL INTAKE SYSTEM CLEANER

**Recommended use of the chemical and restrictions on use**

**Product code** SB300

**Product Type** Extremely flammable aerosol  
**Synonyms** None

**Supplier's details**

**Recommended Use** Engine Cleaner.  
**Uses advised against** No information available

**Manufacturer:**  
Phillips 66 Spectrum Corporation  
500 Industrial Park Drive  
Selmer, TN 38375

**Product Information:**  
SDS Requests: (800) 264-6457 or +17316454972  
Technical Information: (800) 264-6457 or +17316454972  
General Information: Val.Smith-Wedley@P66.com

**Emergency telephone number**

**Emergency Response** North America: CHEMTREC (800) 424-9300 after 5:00pm CST Or +17035273887

**Health Emergency** USA: (800) 264-6457 or +17316454972

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### 2. HAZARDS IDENTIFICATION

#### Classification

Acute Toxicity - Oral	Category 4
Acute Toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

#### GHS Label elements, including precautionary statements

#### Emergency Overview

**DANGER**

#### Hazard Statements

Harmful if swallowed  
 Harmful in contact with skin  
 Causes skin irritation  
 Causes serious eye irritation  
 May damage fertility or the unborn child  
 May cause respiratory irritation. May cause drowsiness or dizziness  
 Extremely flammable aerosol  
 Contains gas under pressure; may explode if heated



**Appearance** Clear

**Physical state** Aerosol

**Odor** Light Vanilla Scent Solvent

#### Precautionary Statements - Prevention

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use

#### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention  
 Specific measures (see first aid on this label)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

---

IF ON SKIN: Wash with plenty of soap and water.  
Call a POISON CENTER or doctor/physician if you feel unwell  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
Rinse mouth

### Precautionary Statements - Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None

### Other information

• Harmful to aquatic life with long lasting effects

5E-06% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
DIMETHYLETHER	115-10-6	60-70
ACETONITRILE	75-05-8	1-10
N-METHYL-2-PYRROLIDINONE	872-50-4	1-10
MONOISOPROPYLAMINE	75-31-0	1-10

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### First aid measures for different exposure routes

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen may be necessary. If breathing has stopped, contact emergency medical services immediately.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

---

**Ingestion** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician or Poison Control Center immediately.

### **Most important symptoms/effects, acute and delayed**

**Main Symptoms** Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. May cause skin and serious eye irritation. My cause respiratory irritation. May damage fertility or the unborn child.

### **Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

### **Specific hazards arising from the chemical**

No information available.

#### **Explosion Data**

**Sensitivity to Mechanical Impact** none.

**Sensitivity to Static Discharge** none.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Absorb with sand, clay, or other suitable material. Hard surfaces may be mopped with water. Remove all sources of ignition. Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Contents under pressure. Do not puncture or incinerate cans. Wear protective gloves/clothing and eye/face protection.

### **Environmental precautions**

**Environmental precautions** Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

### **Methods and materials for containment and cleaning up**

**Methods for Containment** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### Methods for cleaning up

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

#### Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Store locked up.

#### Incompatible products

Strong acids, alkalis, or oxidizing agents.

#### Aerosol Level

2

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONITRILE 75-05-8	TWA: 20 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	TWA: 40 ppm TWA: 70 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> CN (vacated) TWA: 40 ppm (vacated) TWA: 70 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup> (vacated) STEL: 60 ppm (vacated) STEL: 105 mg/m <sup>3</sup> S*	IDLH: 500 ppm IDLH: 25 mg/m <sup>3</sup> CN TWA: 20 ppm TWA: 34 mg/m <sup>3</sup>
MONOISOPROPYLAMINE 75-31-0	STEL: 10 ppm TWA: 5 ppm	TWA: 5 ppm TWA: 12 mg/m <sup>3</sup> (vacated) TWA: 5 ppm (vacated) TWA: 12 mg/m <sup>3</sup> (vacated) STEL: 10 ppm (vacated) STEL: 24 mg/m <sup>3</sup>	IDLH: 750 ppm

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Exposure controls

#### Engineering Measures

Showers  
Eyewash stations  
Ventilation systems.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### Individual protection measures, such as personal protective equipment

<b>Eye/Face Protection</b>	Safety glasses with side-shields.
<b>Skin and body protection</b>	Chemical resistant apron. Protective gloves.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

<b>Physical state</b>	Aerosol	<b>Odor</b>	Light Vanilla Scent
<b>Appearance</b>	Clear	<b>Odor Threshold</b>	Solvent
<b>Color</b>	amber		No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	No information available	
Melting/freezing point	No information available	
Boiling point/boiling range	No information available	
Flash Point	-41.1 °C / -42 °F	Based on propellant
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
upper flammability limit	No information available	
lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	.745	
Water solubility	Practically insoluble	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity	No information available	
Explosive properties	No information available	

### Other information

VOC Content(%) 78.97

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### Conditions to Avoid

Extremes of temperature and direct sunlight.

### Incompatible Materials

Strong acids, alkalis, or oxidizing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Vapors may irritate throat and respiratory system. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or mists.
<b>Eye contact</b>	Irritating to eyes. Avoid contact with eyes.
<b>Skin contact</b>	Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged skin contact may defat the skin and produce dermatitis. Harmful in contact with skin.
<b>Ingestion</b>	May be harmful or fatal if swallowed.

#### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
DIMETHYLETHER 115-10-6	-	-	= 308.5 mg/L ( Rat ) 4 h
ACETONITRILE 75-05-8	= 2460 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 26.8 mg/L ( Rat ) 4 h
N-METHYL-2-PYRROLIDINONE 872-50-4	= 3598 mg/kg ( Rat )	= 8 g/kg ( Rabbit )	= 3.1 mg/L ( Rat ) 4 h
MONOISOPROPYLAMINE 75-31-0	= 111 mg/kg ( Rat )	= 382 mg/kg ( Rat )	= 4000 ppm ( Rat ) 4 h

### Information on toxicological effects

<b>Symptoms</b>	Harmful if swallowed. Harmful if in contact with skin. Causes skin and eye irritation. May damage fertility or the unborn child. May cause respiratory irritation. May cause drowsiness or dizziness.
-----------------	---

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Irritating to skin.
<b>Eye damage/irritation</b>	Irritating to eyes.
<b>Irritation</b>	Irritating to eyes, respiratory system and skin.
<b>Sensitization</b>	None known.
<b>Germ Cell Mutagenicity</b>	None known.
<b>Carcinogenicity</b>	Contains no ingredient listed as a carcinogen.
<b>Reproductive toxicity</b>	Product is or contains a chemical which is a known or suspected reproductive hazard.
<b>Specific target organ systemic toxicity (single exposure)</b>	May cause respiratory irritation. May cause drowsiness and dizziness.
<b>Specific target organ systemic toxicity (repeated exposure)</b>	None under normal use conditions.
<b>Chronic toxicity</b>	May cause adverse liver effects.



# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

**Target Organ Effects** Central nervous system, Central Vascular System (CVS), Eyes, Kidney, Liver, Respiratory system, Skin.

**Aspiration hazard** Not applicable.

### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 5E-06% of the mixture consists of ingredient(s) of unknown toxicity  
**The following values are calculated based on chapter 3.1 of the GHS document .**

**ATEmix (oral)** 1805 mg/kg  
**ATEmix (dermal)** 2183 mg/kg  
**ATEmix (inhalation-dust/mist)** 14.4 mg/l  
**ATEmix (inhalation-vapor)** 93101 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
ACETONITRILE 75-05-8	-	1600 - 1690 mg/L LC50 Pimephales promelas 96h flow-through 1000 mg/L LC50 Pimephales promelas 96h static 1650 mg/L LC50 Poecilia reticulata 96h static 1850 mg/L LC50 Lepomis macrochirus 96h static	-	-
N-METHYL-2-PYRROLIDINONE 872-50-4	500 mg/L EC50 Desmodesmus subspicatus 72h	1072 mg/L LC50 Pimephales promelas 96h static 1400 mg/L LC50 Poecilia reticulata 96h static 832 mg/L LC50 Lepomis macrochirus 96h static	-	4897 mg/L EC50 Daphnia magna 48h
MONOISOPROPYLAMINE 75-31-0	4.13 mg/L EC50 Desmodesmus subspicatus 72h 1.2 mg/L EC50 Desmodesmus subspicatus 96h 62.5 mg/L EC50 Pseudokirchneriella subcapitata 96h	310 mg/L LC50 Pimephales promelas 96h	-	20.8 mg/L EC50 Daphnia magna 48h

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

Chemical Name	log Pow
DIMETHYLETHER 115-10-6	-0.18
ACETONITRILE 75-05-8	-0.34
N-METHYL-2-PYRROLIDINONE 872-50-4	-0.46
MONOISOPROPYLAMINE 75-31-0	0.26

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### Waste treatment

**Waste Disposal Methods** This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D  
or  
LIMITED QUANTITY

**IATA** UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

**IMDG** UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
DIMETHYLETHER	X	X	X	X	X	X	X	X
ACETONITRILE	X	X	X	X	X	X	X	X
N-METHYL-2-PYRROLIDINONE	X	X	X	X	X	X	X	X
MONOISOPROPYLA MINE	X	X	X	X	X	X	X	X

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**CHINA** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
ACETONITRILE - 75-05-8	75-05-8	1-10	1.0
N-METHYL-2-PYRROLIDINONE - 872-50-4	872-50-4	1-10	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETONITRILE 75-05-8		X	X	

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETONITRILE 75-05-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

### U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
N-METHYL-2-PYRROLIDINONE - 872-50-4	Developmental

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLEETHER 115-10-6	X	X	X
ACETONITRILE 75-05-8	X	X	X
N-METHYL-2-PYRROLIDINONE 872-50-4	X	X	X
MONOISOPROPYLAMINE 75-31-0	X	X	X

**EPA Pesticide Registration Number** Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

---

## 16. OTHER INFORMATION

<b><u>NFPA</u></b>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards -
<b><u>HMIS</u></b>	Health Hazard 2	Flammability 4	Physical Hazard 1	Personal protection B

Issuing date 06/18/2015  
Revision Date 06/18/2015  
Revision Note

No information available

### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

---

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** MIGHTY VS7 FUEL SYSTEM ADDITIVE

### Recommended use of the chemical and restrictions on use

**Product code** SB305

**Product Type** Combustible liquid  
**Synonyms** None

### Supplier's details

**Recommended Use** FUEL RAIL CLEANER.  
**Uses advised against** No information available

### **Manufacturer:**

Phillips 66 Spectrum Corporation  
500 Industrial Park Drive  
Selmer, TN 38375

### **Product Information:**

SDS Requests: (800) 264-6457 or +17316454972  
Technical Information: (800) 264-6457 or +17316454972  
General Information: Val.Smith-Wedley@P66.com

### Emergency telephone number

**Emergency Response** North America: CHEMTREC (800) 424-9300 after 5:00pm CST Or +17035273887

### **Health Emergency**

USA: (800) 264-6457 or +17316454972

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

## 2. HAZARDS IDENTIFICATION

### Classification

Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Liquids	Category 4

### GHS Label elements, including precautionary statements

#### Emergency Overview

**DANGER**

#### Hazard Statements

May cause respiratory irritation. May cause drowsiness or dizziness  
May be fatal if swallowed and enters airways  
Combustible liquid



**Appearance** Clear

**Physical state** Liquid

**Odor** Solvent

#### Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Do NOT induce vomiting  
In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary Statements - Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
Keep cool.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None

#### Other information

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

---

• Toxic to aquatic life with long lasting effects

0% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
PETROLEUM DISTILLATES	64742-47-8	70-80
HYDROCARBON SOLVENT	64741-86-2	10-20
SOLVENT NAPHTHA	64742-94-5	0.1-1

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen may be necessary. If breathing has stopped, contact emergency medical services immediately.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician or Poison Control Center immediately.

#### Most important symptoms/effects, acute and delayed

**Main Symptoms** May cause respiratory irritation. Harmful if swallowed and enters airways.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

No information available.

#### Explosion Data

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

---

**Sensitivity to Mechanical Impact** none.  
**Sensitivity to Static Discharge** Yes.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Absorb with sand ,clay, or other suitable material. Hard surfaces may be mopped with water. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition.

### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.

### Methods and materials for containment and cleaning up

**Methods for Containment** Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out of the reach of children. Store locked up.

**Incompatible products** Strong acids, alkalis, or oxidizing agents.

**Aerosol Level** 3

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

NIOSH IDLH: Immediately Dangerous to Life or Health



# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Exposure controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Solvent
<b>Appearance</b>	Clear	<b>Odor Threshold</b>	No information available
<b>Color</b>	amber		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Methods</u></b>
<b>pH</b>	No information available	
<b>Melting/freezing point</b>	No information available	
<b>Boiling point/boiling range</b>	No information available	
<b>Flash Point</b>	41 °C / 105 °F	Based on lowest flashpoint of the products constituent.
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limits in Air</b>		
<b>upper flammability limit</b>	No information available	
<b>lower flammability limit</b>	No information available	
<b>Vapor pressure</b>	No information available	
<b>Vapor density</b>	No information available	
<b>Specific Gravity</b>	0.812	
<b>Water solubility</b>	Practically insoluble	
<b>Partition coefficient: n-octanol/water</b>	No information available	
<b>Autoignition temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Viscosity</b>	No information available	
<b>Explosive properties</b>	No information available	

**Other information**

**VOC Content(%)** 87.31

**10. STABILITY AND REACTIVITY**

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

### **Reactivity**

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

None under normal processing.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

### **Incompatible Materials**

Strong acids, alkalis, or oxidizing agents.

### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### **Information on likely routes of exposure**

#### **Product Information**

<b>Inhalation</b>	Vapors may irritate throat and respiratory system. May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or mists.
<b>Eye contact</b>	Avoid contact with eyes.
<b>Skin contact</b>	Avoid contact with skin.
<b>Ingestion</b>	May be harmful or fatal if swallowed. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.

#### **Component Information**

<b>Chemical Name</b>	<b>LD50 Oral</b>	<b>LD50 Dermal</b>	<b>LC50 Inhalation</b>
PETROLEUM DISTILLATES 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
HYDROCARBON SOLVENT 64741-86-2	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 4.6 mg/L ( Rat ) 4 h
SOLVENT NAPHTHA 64742-94-5	> 5000 mg/kg ( Rat )	> 2 mL/kg ( Rabbit )	> 590 mg/m <sup>3</sup> ( Rat ) 4 h

### **Information on toxicological effects**

<b>Symptoms</b>	May cause headache and dizziness. Harmful if swallowed. May be fatal if swallowed and enters airways.
-----------------	---

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	None known.
<b>Germ Cell Mutagenicity</b>	None known.
<b>Carcinogenicity</b>	There are no known carcinogenic chemicals in this product.
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards.
<b>Specific target organ systemic toxicity (single exposure)</b>	May cause respiratory irritation. May cause drowsiness and dizziness.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

**Specific target organ systemic toxicity (repeated exposure)**

None under normal use conditions.

**Neurological effects**

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PETROLEUM DISTILLATES 64742-47-8	-	2.2 mg/L LC50 Lepomis macrochirus 96h static 2.4 mg/L LC50 Oncorhynchus mykiss 96h static 45 mg/L LC50 Pimephales promelas 96h flow-through	-	-
HYDROCARBON SOLVENT 64741-86-2	-	35 mg/L LC50 Pimephales promelas 96h flow-through	-	-
SOLVENT NAPHTHA 64742-94-5	-	1740 mg/L LC50 Lepomis macrochirus 96h static 19 mg/L LC50 Pimephales promelas 96h static 2.34 mg/L LC50 Oncorhynchus mykiss 96h 41 mg/L LC50 Pimephales promelas 96h 45 mg/L LC50 Pimephales promelas 96h flow-through	-	0.95 mg/L EC50 Daphnia magna 48h

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	log Pow
SOLVENT NAPHTHA 64742-94-5	6.1

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment**

**Waste Disposal Methods**

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging**

Do not re-use empty containers.

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

(PETROMIN EXPORT)

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

**IATA** UN1268, PETROLEUM PRODUCTS, N.O.S, 3, PGIII

**IMDG** UN1268, PETROLEUM PRODUCTS, N.O.S, 3, PGIII

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PETROLEUM DISTILLATES	X	X	X	X	X	X	X	X
HYDROCARBON SOLVENT	X	X	X	Not listed	X	X	X	X
SOLVENT NAPHTHA	X	X	X	X	X	X	X	X

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**CHINA** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# SAFETY DATA SHEET –MIGHTY VS7 VPAK2 #SB450P

## (PETROMIN EXPORT)

---

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any known Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

**EPA Pesticide Registration Number** Not applicable

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## 16. OTHER INFORMATION

<b><u>NFPA</u></b>	<b>Health Hazard 2</b>	<b>Flammability 2</b>	<b>Instability 0</b>	<b>Physical and chemical hazards -</b>
<b><u>HMIS</u></b>	<b>Health Hazard 2</b>	<b>Flammability 2</b>	<b>Physical Hazard 0</b>	<b>Personal protection X</b>

**Issuing date** 08/25/2015  
**Revision Date** 08/25/2015  
**Revision Note**

No information available

### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**