GHS

Printing date 10.09.2014

Revision: 18.07.2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: Freylube Prema · Article number: 14-748, 14-749 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Lubricant · 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: 31 Incorporated 100 Enterprise Dr. Newcomerstown. OH 43832 Phone: (740) 498-8324 • 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H413. health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful R65: Harmful: may cause lung damage if swallowed. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. **Classification system:** The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema (Contd. of page 1) · Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labelling: Paraffin oils · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H413. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life. · Precautionary statements P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Hazard description: · WHMIS-symbols: Not hazardous under WHMIS. · NFPA ratings (scale 0 - 4) Health = 2Fire = 1 Reactivity = 0 · HMIS-ratings (scale 0 - 4) ² Health = 2 HEALTH 1 Fire = 1 FIRE Reactivity 0 Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · **vPvB:** Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema

Dangerous compo CAS: 8012-95-1	Paraffin oils	🗙 Xn R65 50-
EINECS: 232-384-2		Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Additional information	ation: For the wording of th	he listed risk phrases refer to section 16.
SECTION 4: Fi	rst aid measures	
	first aid measures	
	on: Take affected persons	out into the fresh air.
After inhalation:		
Supply fresh air; co	nsult doctor in case of com	iplaints.
Provide oxygen trea	atment if affected person ha	as difficulty breathing.
		ly in side position for transportation.
After skin contact		
	with water and soap and rin	ise thoroughly.
After eye contact:	tinues, consult a doctor.	
Remove contact le		
		unning water. If symptoms persist, consult a doctor.
After swallowing:	or several minutes under re	anning water. It symptoms persist, consult a doctor.
	nd then drink plenty of wate	r
	iting; call for medical help in	
		hould be turned onto their side.
	t symptoms and effects,	
Headache	•	•
Breathing difficulty		
Coughing		
Nausea		
Slight irritant effect	on eyes.	
Slight irritant effect	on skin and mucous memb	oranes.
	l disorders when ingested.	
Acne		
Hazards	m, aadama	
Danger of pulmona		
Danger of impaired		contian and analial treatment needed
4.3 Indication of a	c irrigation with added, activ	ention and special treatment needed
	ase of vomiting, danger of e	

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

GHS

a data 10.00.2011

Printing date 10.09.2014	Revision: 18.07.2014
Trade name: Freylube Prema	
• For safety reasons unsuitable extinguishing agents: Water wit • 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fir • 5.3 Advice for firefighters • Protective equipment:	-
Wear self-contained respiratory protective device. Wear fully protective suit. • Additional information Cool endangered receptacles with water f	og or haze.
SECTION 6: Accidental release measures	
 6.1 Personal precautions, protective equipment and emergene Use respiratory protective device against the effects of fumes/dust Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers). Inform respective authorities in case of seepage into water course 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, upick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	/aerosol. or sewage system.
SECTION 7: Handling and storage	
 • 7.1 Precautions for safe handling Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. • Information about fire - and explosion protection: Keep ignition 	n sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

GHS

Revision: 18.07.2014

(Contd. of page 4)

Printing date 10.09.2014

Trade name: Freylube Prema

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients v	with limit values that require monitoring at the workplace:
8012-95-1 Pa	raffin oils
PEL (USA)	Long-term value: 5 mg/m ³
REL (USA)	Short-term value: 10 mg/m ³
	Long-term value: 5 mg/m ³
	oil mist
TLV (USA)	
EV (Canada)	Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ Mist
	rther relevant information available.
	rther relevant information available.
	formation: The lists valid during the making were used as basis.
· 8.2 Exposure	controls
•	tective equipment:
· General prot	ective and hygienic measures:
	cautionary measures are to be adhered to when handling chemicals.
	om foodstuffs, beverages and feed. before breaks and at the end of work.
	gases / fumes / aerosols.
	with the eyes and skin.
· Respiratory	
	under normal conditions of use.
	respiratory protective device in case of insufficient ventilation.
	espiratory protective device when aerosol or mist is formed. piratory protection may be advisable.
· Protection of	
m	ective gloves
	terial has to be impermeable and resistant to the product/ the substance/ the preparation. the glove material on consideration of the penetration times, rates of diffusion and the loves
The selection quality and v substances, t	o of the suitable gloves does not only depend on the material, but also on further marks of varies from manufacturer to manufacturer. As the product is a preparation of several he resistance of the glove material can not be calculated in advance and has therefore to be to the application.
	(Contd. on page 6)

(Contd. on page 6)

GHS

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema

(Contd. of page 5)

· Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses

· Body protection: Oil resistant protective clothing

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and • General Information	chemical properties	
 Appearance: Form: Colour: Odour: Odour: Odour threshold: 	Highly viscous Black Characteristic Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.	
· Flash point:	538 °F / 281 °C (COC)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
 Density at 20 °C: Relative density Vapour density 	0,9 g/cm ³ Not determined. Not determined.	(Contd. on page 7)
		、 · · · · ·

GHS

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema

Evaporation rate	Not determined.	(Contd. of page 6)
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient (n-octand	I/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

• **10.5 Incompatible materials:** No further relevant information available.

• **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.

· Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: The material is harmful to the environment.

- **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema

(Contd. of page 7)

· Ecotoxical effects:

· Remark:

Harmful to fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Avoid transfer into the environment.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	n	
•		
· 14.1 UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name 		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)	-	
· DOT, ADR, ADN, IMDG, IATA		
·Class	Not Regulated	
14.4 Packing group	5	
DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
• 14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anne		
MARPOL73/78 and the IBC Code	Not applicable.	
		(Contd. on page 9)
		(Contu. on page 9)

_

Printing date 10.09.2014

Trade name: Freylube Prema

· UN "Model Regulation":

SECTION 15: Regulatory information

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
Canadian Ingredient Disclosure list (limit 1%)	
8012-95-1 Paraffin oils	

Revision: 18.07.2014

(Contd. of page 8)

GHS

Printing date 10.09.2014

Revision: 18.07.2014

Trade name: Freylube Prema

(Contd. of page 9)

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

R65 Harmful: may cause lung damage if swallowed.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com