

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/25/2020 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form : Mixt	ture		
Trade name : Mig	hty High Mileage Oil Treatment		
Synonym : 070	0169		
Part numbers : OL1	107		
1.2. Recommended use and restrictions on use			
No additional information available			
1.3. Supplier			
No additional information available			
1.4. Emergency telephone number			
No additional information available			
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixture			
GHS US classification			
Not classified			
2.2. GHS Label elements, including precautiona	ary statements		
GHS US labeling			
No labeling applicable			
2.3. Other hazards which do not result in classi	fication		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/Information on i	ngredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Mineral oil, petroleum distillates, solvent-dewaxed heavy	Product identifier (CAS-No.) 64742-65-0	% 0 - 90	GHS US classification Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment)	(CAS-No.) 64742-65-0		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration he	(CAS-No.) 64742-65-0 ave been withheld as a trade secret		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration ha Full text of hazard classes and H-statements : see section	(CAS-No.) 64742-65-0 ave been withheld as a trade secret		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration ha Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures	(CAS-No.) 64742-65-0 ave been withheld as a trade secret		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16	0 - 90	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures First-aid measures	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep o	0 - 90	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Ren First-aid measures after skin contact : Was	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep o sh skin with plenty of water.	0 - 90 comfortable for b	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after skin contact : Was First-aid measures after eye contact : Ring	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep o sh skin with plenty of water. se eyes with water as a precaution.	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after skin contact : Was First-aid measures after eye contact : Ring	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep o sh skin with plenty of water.	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acute)	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acute)	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if te and delayed)	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Ren First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acu No additional information available No	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if te and delayed)	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acu No additional information available 4.3.	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if te and delayed)	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see section SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acu No additional information available 4.3. 4.3. Immediate medical attention and special tree	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if te and delayed) eatment, if necessary	0 - 90 comfortable for h	Carc. 1B, H350
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) *Chemical name, CAS number and/or exact concentration has Full text of hazard classes and H-statements : see sector SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Rem First-aid measures after eye contact : Was First-aid measures after ingestion : Call 4.2. Most important symptoms and effects (acu No additional information available 4.3. Immediate medical attention and special tree Treat symptomatically. SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing measures	(CAS-No.) 64742-65-0 ave been withheld as a trade secret on 16 nove person to fresh air and keep of sh skin with plenty of water. se eyes with water as a precaution. a poison center/doctor/physician if te and delayed) eatment, if necessary	0 - 90 comfortable for t	Carc. 1B, H350

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Specific hazards arising from the che	mical
	nal information available	
	Special protective equipment and pre	-
Protection	during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTIO	N 6: Accidental release measu	Ires
6.1.	Personal precautions, protective equi	pment and emergency procedures
	For non-emergency personnel	
Emergenc	y procedures	: Ventilate spillage area.
6.1.2.	For emergency responders	
Protective	equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
		reler to section 8. Exposure controls/personal protection .
	Environmental precautions ase to the environment.	
	Methods and material for containmen or cleaning up	: Take up liquid spill into absorbent material.
Other info		Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	·
	r information refer to section 13.	
SECTIO	N 7: Handling and storage	
	Precautions for safe handling	
	•	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene m	neasures	Do not eat, drink or smoke when using this product. Always wash hands after handling the
		product.
	Conditions for safe storage, including	
Storage co	onditions	: Store in a well-ventilated place. Keep cool.
SECTIO	N 8: Exposure controls/perso	nal protection
8.1.	Control parameters	
Mineral	oil, petroleum distillates, solvent-dew	axed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (64742-65-0)
Not appli	icable	
8.2.	Appropriate engineering controls	
	5 5	Ensure good ventilation of the work station.
Environme	ental exposure controls	: Avoid release to the environment.
8.3.	Individual protection measures/Perso	nal protective equipment
Hand pr	otection:	
Protectiv	ve gloves	
Eye prot	tection:	
Safety gl		
, ,		
	d body protection:	
	itable protective clothing	
-	tory protection:	
In case o	of insufficient ventilation, wear suitable re	espiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless On exposure to light: grey-brown	
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Pleasant odour Floral odour 	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: 665	
Flash point	: > 300 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: >1	
Relative density	: 0.875	
Solubility	: Water: < 0.1 %	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
The proc	The product is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability		
Stable u	Stable under normal conditions.		
10.3.	Possibility of hazardous reactions		
No dang	erous reactions known under normal con	ditions of use.	
10.4.	Conditions to avoid		
None un	der recommended storage and handling	conditions (see section 7).	
10.5.	Incompatible materials		
No addit	ional information available		
10.6.	. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.			
SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		
Acute to	xicity (oral)	: Not classified	
Acute to	xicity (dermal)	: Not classified	
Acute to	xicity (inhalation)	: Not classified	
Skin cor	rosion/irritation	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
12.2. Persistence and degradability		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (64742-65-0)		
Persistence and degradability	Biodegradability in water: no data available.	
12.3. Bioaccumulative potential		
Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (64742-65-0)		
Log Pow	3.9 - 6 (Calculated)	
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
No additional information available		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1.	Disposal methods	
Waste treatment methods		: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTIO	ON 14: Transport information	

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (64742-65-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (64742-65-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H350

May cause cancer

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.