

Product identifier used on the label: Engine Guard 80W90 6/1Q

Stock Number: EG8090C Revision Date: 12-12-2019

**Replaces:** 

#### 1. Identification

Product identifier used on the label: Engine Guard 80W90 6/1Q

Stock Number: EG8090C

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Gear Oil

**Restrictions on use:** Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Warren Distribution, Inc.

950 S. 10th St., Suite 300

Omaha, NE 68108-3296

**Phone number:** +01 (800) 825-1235 +01 (402) 341-9397

**E-mail address:** sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

**GHS Classification:** Not classified as hazardous under OSHA

**Hazards not otherwise classified:**No data available

### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	60 - 80
Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	10 - 30
(Z)-Octadec-9-enylamine	No data available	112-90-3	0.1 - 1
Amines, C12-14-tert-alkyl	No data available	68955-53-3	0.1 - 1
Petroleum distillates, solvent- refined heavy paraffinic	No data available	64741-88-4	0.1 - 1
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

**Eye Contact:** Use eye wash to remove a chemical from the eye. Flush the affected eye

for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if

irritation persists.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or

persists. Remove contaminated clothing and continue flushing with

water.

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

Most important symptoms/effects,

acute and delayed:

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

#### 5. Fire-fighting measures

### Suitable (and unsuitable) extinguishing media:

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

**Unsuitable extinguishing media:** No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

**Hazardous combustion products:** Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide, Carbon dioxide

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment

and cleaning up:

No special spill clean up considerations. Collect and discard in regular

trash.

### 7. Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.

Conditions for safe storage, including

any incompatibilities:

**Safe storage conditions:** Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical** 

Incompatibility:

Acids, Oxidizing materials

#### 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3	5 mg/m3	10 mg/m3	No data available
Petroleum distillates, solvent-refined heavy paraffinic	5 mg/m3	5 mg/m3	10 mg/m3	No data available
Petroleum distillates, solvent dewaxed heavy paraffinic	5 mg/m3	5 mg/m3	10 mg/m3	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

Product identifier used on the label: Engine Guard 80W90 6/1Q

Stock Number: EG8090C Revision Date: 12-12-2019

**Replaces:** 

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye protection:** Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

**Skin protection:** Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

**General hygiene conditions:** Follow all protective equipment recommendations provided in Section 8.

#### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Brown
Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

Melting Point:

Freezing point:

No data available

No data available

No data available

(°C):

Flash Point (°C): 232

**Evaporation Rate:**No data available

Flammability (solid, gas):
No data available

Upper/lower flammability or explosive

limits:

Product identifier used on the label: Engine Guard 80W90 6/1Q

Stock Number: EG8090C Revision Date: 12-12-2019

**Replaces:** 

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive

limits:

Not established

Vapor pressure: No data available
Vapor density: No data available

Relative density: 0.88

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

No data available

No data available

Not determined

Viscosity: 140.8

10. Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Acids, Oxidizing materials

Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide, Carbon dioxide

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Inhalation, Ingestion, Skin contact, Eye contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion: No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

**Replaces:** 

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal

data. Can cause minor skin irritation, defatting, and dermatitis.

**Absorption:** Estimated to be > 5.0 g/kg; practically non-toxic

Inhalation: No hazard in normal industrial use. Estimated to be >20 mg/l; practically

non-toxic

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

Sensitization: Non-hazardous under Respiratory Sensitization category. No data

available to indicate product or components may be a skin sensitizer.

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Other information: None known.

### Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Petroleum distillates, solvent-refined heavy paraffinic	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat > 5530 MG/M3
Amines, C12-14-tert-alkyl	Oral LD50 Rat 300 mg/kg	Dermal LD50 Rat 251 mg/kg	
(Z)-Octadec-9-enylamine	Oral LD50 Rat 1689 mg/kg		
Residual oils (petroleum), solvent dewaxed	Oral LD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

### 12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

**Ecological Toxicity Data:** 

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates,		Aquatic EC50 (48h)		Aquatic LC50 (96h)
solvent dewaxed heavy	64742-65-0	Daphnia > 1000	No data available	Rainbow Trout >
paraffinic		mg/L		5000 mg/L
Petroleum distillates,		Aquatic EC50 (48h)		Aguatic I CEO (OCh)
solvent-refined heavy	64741-88-4	Daphnia > 1000	No data available	Aquatic LC50 (96h) > 5000 mg/L
paraffinic		mg/L		> 5000 Hig/L
(Z)-Octadec-9-enylamine		Aquatic EC50 (48h)	Aquatic ERC50	Aquatic LC50 (96h)
	112-90-3	Daphnia 0.011	(96h) 0.04 mg/L	0.06 mg/L
		mg/L	(9011) 0.04 Hig/L	0.06 Hig/L
Residual oils (petroleum),		Aquatic EC50 (48h)		Aquatic LC50 (96h)
solvent dewaxed	64742-62-7	Daphnia > 1000	No data available	Rainbow Trout >
		mg/L		5000 mg/L
Petroleum distillates,		Aquatic EC50 (48h)		Aquatic LC50 (96h)
hydrotreated heavy	64742-54-7	Daphnia > 1000	No data available	Rainbow Trout >
paraffinic		mg/L		5000 mg/L

**Persistence and degradability:** Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

None known.

### 13. Disposal considerations

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

Spent or discarded material is non-hazardous according to environmental

regulations.

packaging:

**Contaminated packaging:** Recycle containers whenever possible.

Containers of this material may be hazardous when emptied.

#### 14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

**DOT Basic Description:**Not regulated for road transport

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

**Environmental hazards (e.g., Marine** 

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

#### 15. Regulatory information

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components of this material are on the Active US TSCA Inventory or

are exempt.

### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Residual oils (petroleum), solvent dewaxed	64742-62-7	N	N	N	N
(Z)-Octadec-9- enylamine	112-90-3	N	N	N	N
Amines, C12-14-tert- alkyl	68955-53-3	N	N	N	N
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	N	N	N	N
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	Z

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male	
Petroleum distillates, hydrotreated heavy	64742-54-7	N	N	N	N	
paraffinic						
Residual oils						
(petroleum), solvent	64742-62-7	N	N	N	N	
dewaxed						
(Z)-Octadec-9- enylamine	112-90-3	N	N	N	N	
•						
Amines, C12-14-tert- alkyl	68955-53-3	N	N	N	N	
Petroleum distillates,						
solvent-refined	64741-88-4	N	N	N	N	
heavy paraffinic						
Petroleum distillates,	64742-65-0	N	N	N	N	
solvent dewaxed	04/42-03-0	IN	IN	IN IN	IN IN	

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

Replaces:

heavy paraffinic			

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Residual oils (petroleum), solvent dewaxed	64742-62-7	N	N	N	N	N
(Z)-Octadec-9- enylamine	112-90-3	N	N	N	N	N
Amines, C12-14-tert- alkyl	68955-53-3	N	N	N	N	N
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	N	N	N	N	N
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N	N

### 16. Other information, including date of preparation or last revision.

SDS Prepared by: CDURSTON Revision Date: 12-12-2019

Revision Number: 22
Reason for revision: NEW

**References:**Other Info:
No data available
No data available

**Disclaimer:** This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to

Product identifier used on the label: Engine Guard 80W90 6/1Q

**Stock Number:** EG8090C **Revision Date:** 12-12-2019

**Replaces:** 

comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.