

SAFETY DATA SHEET

Section 1: Identification

Product Name: Mighty OTR Truck Wash Product Code: DL1005 Product Class: Truck Wash Manufacturer/Supplier: Mighty Distributing System of America 650 Engineering Drive Norcross, GA 30092 Telephone: 800-829-3900 Emergency Telephone: CHEMTREC 800-424-9300

Date Prepared: Date of Review/Update:

August 11, 2016

Section 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Signal Word: Corrosive 1B Danger

GHS Hazard Statements:

H302 + H312 Harmful if swallowed or in contact with skin

H314 Causes severe skin burns and eye damage

H373 May cause damage to liver, kidneys or blood through prolonged or repeated exposure.

GHS Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P300 + P300 H Ch CLC H investmentation of rash occurs: Get medical advice/attention.

P337 + P313 If eve irritation persists: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

Signs and Symptoms of Exposure:

Eye:	Irritation inclu	ding tearing or	redness.			
Skin:	Prolonged skin contact may cause irritation including redness, irritation, itching.					
Ingestion:	Gastrointestinal irritation, nausea, vomiting, and diarrhea, upset stomach.					
Inhalation:	Not a likely route of exposure, but if over-inhalation occurs symptoms would include nose, throat, respiratory irritation.					
Medical Conditions Aggravated by Exposure: None known.						
HMIS Rating:	Health- 2	Fire- 0	Reactivity- 0	Personal Protection- C		
· ·	0=Insignificant	1=Slight	2=Moderate	3=High 4=Extreme		

Section 3: Composition/Information on Ingredients

Chemical Name	CAS Number	<u>% Range</u>	OSHA PEL	<u>ACGHI TLV</u>
Tetrasodium EDTA	64-02-8	1-10	Not Established	Not Established
2-Butoxyethanol	111-76-2	1-10	50ppm Skin	20ppm
Trisodium Phosphate	7601-54-9	1-10	Not Established	Not Established
Sodium Metasilicate	6834-92-0	1-10	Not Established	Not Established
L'ALA ANDO NED COLLA CARA		1444 70 0 - 1400	0	

Listed as IARC, NTP, OSHA Carcinogen: 2-Butoxyethanol 111-76-2 is IARC Group 3: Not Classifiable as to Carcinogenicity to Humans.

Section 4: First Aid Measures

Eye Contact: Flush with large amounts of water for 15 minutes. If symptoms develop, seek medical attention.

Skin Contact: Wash affected area with water for 15 minutes. Remove contaminated clothing and launder before reuse. Never give anything by mouth to an unconscious person. If person is conscious then give several glasses of water. Do not induce vomiting. Keep warm and quiet. Seek medical attention.

Inhalation: Remove from exposure. Seek fresh air. Keep warm and guiet. If symptoms worsen seek medical attention.

Section 5: Fire-Fighting Measures

Fire and Explosive Properties: Flash Point: None / Estimate Flammable Limits: LEL: No data UEL: No data Extinguishing Media: None None

Section 6: Accidental Release Measures

Steps to be taken if Material is Spilled or Leaked: Neutralize, contain, and remove with inert absorbent.

Section 7: Handling and Storage

Precautions to be taken in Handling and Storage:

Handling: Adhere to proper PPE (Section 8). Do not mix with other chemicals. Exercise reasonable care and precaution.
 Storage: Protect from physical damage. Do not store in proximity of oxidizers or acids. Store in a cool, dry location. Affix proper warning labels on containers in accordance with 29CFR1010.1200.

Section 8: Exposure Controls and Personal Protection

Ventilation:	Use only with adequate ventilation. Avoid breathing vapor or mist. Local exhaust preferred.
Respirator Protection:	If required, a properly fitted NIOSH/MSHA approved respirator rated for the hazardous ingredients found in SECTION 3.
Skin Protection:	Gloves rated for protection against ingredients in SECTION 3.
Eye Protection:	Safety glasses with side shields or chemical goggles.

Section 9: Physical and Chemical Properties

Boiling Point:	212°F	Vapor Pressure (mmHg @ 68°F):	No Data
Vapor Density:	No Data	Solubility in Water:	Complete
Specific Gravity:	1.05 ± 0.05	Melting Point:	Not Applicable
% Volatile:	88.0 ± 0.05	pH:	13.0 ± 0.5
Appearance/Odor:	Water Clear, Material Odor.		

Section 10: Stability and Reactivity

Stability: Stable Hazardous Polymerization: Will not occur. Hazardous Decomposition Products: none. Materials to Avoid: Avoid contact with acids, oxidizers, and metals (ex. aluminum, tin, lead, zinc). Conditions to Avoid: none.

Section 11: Toxicology Information

No data

Section 12: Ecological Information

No data

Section 13: Disposal Considerations

Waste Disposal: Dispose of in accordance with federal, state and local regulations. Waste containing this product may be RCRA hazardous waste (D002) Corrosive. 40CFR261.22

Section 14: Transport Information

D.O.T. REQUIREMENTS (49CFR 172.101):

Not Regulated

Section 15: Regulatory Information

 RQ (REPORTABLE QUANTITY) 49CFR 172.101:

 TSCA (Toxic Substances Control Act) Status:

 CERCLA RQ - 40CFR 302.4:

 SARA 302 COMPONENTS - 40CFR 355 Appendix A:

 SECTION 311/312 HAZARD CLASS - 40CFR 370.2

 Immediate
 (X)

 Delayed
 (X)

 Fire
 ()

None The intentional ingredients of this product are listed. None None

> Reactive Sudden Release of Pressure

()

SARA 313 COMPONENTS	- 40CFR 372.65:					
<u>Component</u>		<u>CAS #</u>	<u>% Range</u>			
Glycol Ether (2-Butoxyethanol)		111-76-2	1-10			
WORKPLACE HAZARDOUS INFORMATION SYSTEM (WHMIS)						
Ingredient		Max. % By Wt.	<u>LD50</u>	<u>LC50</u>		
Tetrasodium EDTA	64-02-8	1-10	Intraperitoneal Mouse - 330mg/kg	Not Established		
2-Butoxyethanol	111-76-2	1-10	Oral Rat - 470mg/kg	Inhal Rat - 450ppm/4H		
Trisodium Phosphate	7601-54-9	1-10	Not Established	Not Established		
Sodium Metasilicate	6834-92-0	1-10	Oral Rat - 1153mg/kg	Not Established		
CALIFORNIA PROPOSITION 65: None						

Section 16: Other Information Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.