

Starting Fluid - Aerosol Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/29/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Starting Fluid - Aerosol
Synonym	: 591095
Part numbers	: SA16-12
1.2. Recommended use and restric	tions on use
No additional information available	
1.3. Supplier	
Gold Eagle Co	
4400 S Kildare Ave	
Chicago, IL 60632-4372	
T 773-376-4400	
1.4. Emergency telephone number	
Emergency number	: INFOTrac: 1-800-535-5053
SECTION 2: Hazard(s) identifica	
2.1. Classification of the substance	e or mixture
GHS-US classification	
Flammable liquids H225	Highly flammable liquid and vapour
Category 2 Skin corrosion/irritation H315	Causes skin irritation
Category 2	
Specific target organ H336 toxicity (single exposure)	May cause drowsiness or dizziness
Category 3	
Full text of H statements : see section 16	
Full text of H statements : see section 16	
Full text of H statements : see section 16 2.2. GHS Label elements, including	j precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling	precautionary statements
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US)	: Danger : H225 - Highly flammable liquid and vapour
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	: Danger : H225 - Highly flammable liquid and vapour H315 - Causes skin irritation
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 Danger H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H336 - May cause drowsiness or dizziness
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US)	 : Danger : H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H336 - May cause drowsiness or dizziness : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : Danger : H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H336 - May cause drowsiness or dizziness : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed.
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : Note: Second Second
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : In the second secon
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : In the constant of the constant of
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : We have a static discharge. : P243 - Take precautionary measures against static discharge. : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : With the explosion proof electrical/ventilation gains static discharge. P243 - Take precautionary measures against static discharge. P244 - Wash hands, forearms and face thoroughly after handling. P247 - Use only outdoors or in a well-ventilated area.
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : Image is a state of the end of th
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : Wear protective gloves/protective clothing/eye protection/face protection. : P285 - Highly flammable liquid and vapour : H225 - Highly flammable liquid and vapour : H225 - Highly flammable liquid and vapour : H315 - Causes skin irritation : H336 - May cause drowsiness or dizziness : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : With the end of the en
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : Weak protective gloves/protective clothing/eye protection/face protection. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Weak protective gloves/protective clothing/eye protection/face protection. P303 + P332 - If on skin: (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
Full text of H statements : see section 16 2.2. GHS Label elements, including GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	 : With the end of the en

Starting Fluid - Aerosol

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		 P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
2.3.	Other hazards which do not result in	classification
No add	itional information available	
2.4.	Unknown acute toxicity (GHS US)	
Not ap	olicable	
SECT	ION 3: Composition/Informatior	n on ingredients
3.1.	Substances	

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Heptane	(CAS-No.) 142-82-5	0 - 65	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTI	ON 4: First-aid measures		
4.1.	Description of first aid measures		
First-aid	measures general	: Call a poison center/doctor/physician if you feel unwell.	
First-aid measures after inhalation		: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact		: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.	
First-aid	measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid	measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.	
4.2.	Most important symptoms and effect	s (acute and delayed)	
Symptor	ns/effects	May cause drowsiness or dizziness.	
Symptor	ns/effects after skin contact	: Irritation.	
4.3.	Immediate medical attention and spe	cial treatment, if necessary	
Treat sy	mptomatically.		
SECTI	ON 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishi	ng media	
Suitable	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2.	Specific hazards arising from the che	mical	
Fire haza	ard	: Highly flammable liquid and vapour.	
5.3.	Special protective equipment and pre	cautions for fire-fighters	
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTI	ON 6: Accidental release meas	ures	
6.1.	Personal precautions, protective equ	ipment and emergency procedures	
6.1.1.	For non-emergency personnel		
Emerger	ncy procedures	: No open flames, no sparks, and no smoking.	
6.1.2.	For emergency responders		
Protectiv	re equipment	: Do not attempt to take action without suitable protective equipment.	
6.2.	Environmental precautions		
Avoid re	lease to the environment.		

Starting Fluid - Aerosol Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Mo	onday, March 26, 2012 / Rules and Regulations	
6.3. Methods and material for conta	ainment and cleaning up	
Methods for cleaning up	: Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage	ge	
7.1. Precautions for safe handling		
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.	
lygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
2. Conditions for safe storage, in		
echnical measures	: Ground/bond container and receiving equipment.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.	
SECTION 8: Exposure controls/	personal protection	
.1. Control parameters		
Heptane (142-82-5)		
Not applicable		
3.2. Appropriate engineering control	ols	
Appropriate engineering controls	: Ensure good ventilation of the work station.	
Environmental exposure controls	: Avoid release to the environment.	
.3. Individual protection measures	s/Personal protective equipment	
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear su	itable respiratory equipment	
SECTION 9: Physical and chemi	cal properties	
.1. Information on basic physical	and chemical properties	
Physical state	: Liquid	
Color	: Colorless	
Ddor	: Mixture contains one or more component(s) which have the following odour:	
Odor threshold	: No data available	
рН	: No data available	

Relative evaporation rate (butyl acetate=1)

Flash point

: No data available

Starting Fluid - Aerosol

Safety Data Sheet

rding to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation а

according to Federal Register / Vol. 77, No. 58 / Monday	ν, March 26, 2012 / Rules and Regulations
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 1.5 (20 °C)
Relative vapor density at 20 °C	: >
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: 93.3
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Highly flammable liquid and vapour.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal co	inditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flame	s, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition product	S
Under normal conditions of storage and use, ha	zardous decomposition products should not be produced.
SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Chin correcton/irritation	
Skin corrosion/irritation Serious eye damage/irritation	: Causes skin irritation. : Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity – single exposure	: May cause drowsiness or dizziness.

Heptane (142-82-5)		
Specific target organ toxicity – single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after skin contact	: Irritation.	
05/06/2019	USA - en	4/6

Starting Fluid - Aerosol Safety Data Sheet

intering to rederar register / vol. //, ivo. ou / Moliday,	March 26, 2012 / Rules and Regulations
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
2.2. Persistence and degradability	
lo additional information available	
2.3. Bioaccumulative potential	
Heptane (142-82-5)	
Log Kow	4.66
2.4. Mobility in soil	
lo additional information available	
2.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	IS
3.1. Disposal methods	
/aste treatment methods dditional information	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Flammable vapors may accumulate in the container.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
n accordance with DOT	· Consumer commodity
n accordance with DOT Proper Shipping Name (DOT)	: Consumer commodity
n accordance with DOT Proper Shipping Name (DOT) Class (DOT)	: ORM-D - ORM-D – Other regulated materials for domestic transport only
n accordance with DOT Proper Shipping Name (DOT) Class (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)	 ORM-D - ORM-D – Other regulated materials for domestic transport only 156;306
n accordance with DOT Proper Shipping Name (DOT) Class (DOT) OOT Packaging Non Bulk (49 CFR 173.xxx) OOT Packaging Bulk (49 CFR 173.xxx)	 ORM-D - ORM-D – Other regulated materials for domestic transport only 156;306 None
n accordance with DOT Proper Shipping Name (DOT) Class (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols	 ORM-D - ORM-D – Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada
n accordance with DOT roper Shipping Name (DOT) class (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102)	 ORM-D - ORM-D – Other regulated materials for domestic transport only 156;306 None
	 ORM-D - ORM-D – Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D.
n accordance with DOT Proper Shipping Name (DOT) Class (DOT) OOT Packaging Non Bulk (49 CFR 173.xxx) OOT Packaging Bulk (49 CFR 173.xxx) OOT Symbols OOT Special Provisions (49 CFR 172.102) OOT Packaging Exceptions (49 CFR 173.xxx) OOT Quantity Limitations Passenger aircraft/rail	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross
n accordance with DOT roper Shipping Name (DOT) class (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102) OT Packaging Exceptions (49 CFR 173.xxx) OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
n accordance with DOT roper Shipping Name (DOT) class (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102) OT Packaging Exceptions (49 CFR 173.xxx) OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75) OT Vessel Stowage Location	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden
a accordance with DOT roper Shipping Name (DOT) lass (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102) OT Packaging Exceptions (49 CFR 173.xxx) OT Quantity Limitations Passenger aircraft/rail I9 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75) OT Vessel Stowage Location	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
n accordance with DOT Proper Shipping Name (DOT) Class (DOT) OOT Packaging Non Bulk (49 CFR 173.xxx) OOT Packaging Bulk (49 CFR 173.xxx) OOT Symbols OOT Special Provisions (49 CFR 172.102) OOT Packaging Exceptions (49 CFR 173.xxx) OOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27) OOT Quantity Limitations Cargo aircraft only (49	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
n accordance with DOT proper Shipping Name (DOT) class (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102) OT Packaging Exceptions (49 CFR 173.xxx) OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75) OT Vessel Stowage Location Other information ransportation of Dangerous Goods	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
a accordance with DOT roper Shipping Name (DOT) lass (DOT) OT Packaging Non Bulk (49 CFR 173.xxx) OT Packaging Bulk (49 CFR 173.xxx) OT Symbols OT Special Provisions (49 CFR 172.102) OT Packaging Exceptions (49 CFR 173.xxx) OT Quantity Limitations Passenger aircraft/rail l9 CFR 173.27) OT Quantity Limitations Cargo aircraft only (49 FR 175.75) OT Vessel Stowage Location ther information ransportation of Dangerous Goods ot applicable	 ORM-D - ORM-D - Other regulated materials for domestic transport only 156;306 None D - Proper shipping name for domestic use only, or to and from Canada 222 - Shipments offered for transportation by aircraft may not be reclassed as ORM-D. 156;306 30 kg gross Forbidden A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Air transport

Not regulated

SECTION 15: Regulatory	y information	
15.1. US Federal regulations		
No additional information availal	ble	
05/06/2019	USA - en	5/6

Starting Fluid - Aerosol

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product