



MIGHTY AUTO PARTS

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

SECTION 1: Identification

1.1 Product identifier

Product name	MIGHTY NON-ACID HARD SURF CLNR
Product number	DL6200
Brand	MIGHTY AUTO PARTS

1.3 Recommended use of the chemical and restrictions on use

Cleaner Degreaser

1.4 Supplier's details

Name	Mighty Distributing System of America
Address	650 Engineering Drive Peachtree Corners GA 30092 United States of America

Telephone	800-829-3900
-----------	--------------

1.5 Emergency phone number

800-424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Acute toxicity, inhalation, Cat. 5
- Acute toxicity, oral, Cat. 5
- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H314
H318

Causes severe skin burns and eye damage
Causes serious eye damage

Precautionary statement(s)

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor
P363	Wash contaminated clothing before reuse.
P405	Store locked up.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component	Concentration
Water (CAS no.: 7732-18-5; EC no.: 231-791-2) CLASSIFICATIONS: No data available. HAZARDS: No data available.	60 - 80 % (weight)
Xanthan gum (CAS no.: 11138-66-2; EC no.: 234-394-2) CLASSIFICATIONS: US Combustible dust; Eye damage/irritation, Cat. 2A; Skin corrosion/irritation, Cat. 2. HAZARDS: No data available.	0.1 - 1 % (weight)
Butoxyethanol (CAS no.: 111-76-2; EC no.: 203-905-0; Index no.: 603-014-00-0) CLASSIFICATIONS: Serious eye damage/eye irritation, Cat. 2; Skin corrosion/irritation, Cat. 2; Flammable liquids, Cat. 4; Acute toxicity, dermal, Cat. 4; Acute toxicity, inhalation, Cat. 4; Acute toxicity, oral, Cat. 4. HAZARDS: H227 - Combustible liquid; H302 - Harmful if swallowed; H312 - Harmful in contact with skin; H315 - Causes skin irritation; H319 - Causes serious eye irritation; H332 - Harmful if inhaled.	1 - 10 % (weight)
Alcohols, C9-11, ethoxylated (CAS no.: 68439-46-3; EC no.: 614-482-0) CLASSIFICATIONS: Acute toxicity, oral, Cat. 4; Eye damage/irritation, Cat. 1. HAZARDS: H302 - Harmful if swallowed; H318 - Causes serious eye damage.	1 - 5 % (weight)

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Dry powder

5.2 Specific hazards arising from the chemical

None

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. For personal protection see section 8.

6.2 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. For precautions see section 2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL (Inhalation): 50 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 240 mg/m³ (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm

97 mg/m³

California permissible exposure limits for chemical contaminants
(Title 8, Article 107)/Skin

TWA (Inhalation): 50 ppm

240 mg/m³; USA (OSHA)

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air
Contaminants/Skin designation

The value in mg/m³ is approximate

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

TWA (Inhalation): 5 ppm
24 mg/m³; USA (NIOSH)
USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)
USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Respiratory protection

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Yellow Liquid
Odor	Slight Acid
Odor threshold	Not available
pH	1-4
Melting point/freezing point	32F
Initial boiling point and boiling range	212F
Flash point	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper/lower flammability limits	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available
Solubility(ies)	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidizing properties	Not available

SECTION 10: Stability and reactivity

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

None under normal use conditions.

Xanthan gum: Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

// ----- From the Suggestion report (06/11/2021, 7:10 AM) ----- //
ATE (inhalation, gaseous) of mixture: 45000 ppmv

// ----- From the Suggestion report (06/11/2021, 7:10 AM) ----- //
ATE (oral) of mixture: 3333.33 mg/kg

Skin corrosion/irritation

Irritating to skin.

Serious eye damage/irritation

Causes eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

Toxicity

No data available on product

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian Domestic Substances List (DSL)

Chemical name: Water

CAS: 7732-18-5

Chemical name: Xanthan gum

CAS: 11138-66-2

Safety Data Sheet

DL6200 MIGHTY NON-ACID HARD SURF CLNR

Chemical name: Ethanol, 2-butoxy-
CAS: 111-76-2

Chemical name: Alcohols, C9-11, ethoxylated
CAS: 68439-46-3

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Ethylene glycol monobutyl ether
CAS: 111-76-2

New Jersey Right To Know Components

Water
CAS-No. 7732-18-5

Xanthan Gum
CAS-No. 11138-66-2

Ethylene glycol monobutyl ether
CAS: 111-76-2

Pennsylvania Right To Know Components

Water
CAS-No. 7732-18-5

Xanthan Gum
CAS-No. 11138-66-2

Ethylene glycol monobutyl ether
CAS: 111-76-2

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

No SARA Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ethylene glycol monobutyl ether
CAS: 111-76-2

Safety Data Sheet
DL6200 MIGHTY NON-ACID HARD SURF CLNR

HMIS Rating

DL6200 MIGHTY NON-ACID HARD SURF CLNR	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

SECTION 16: Other information